Bia Diagnostics Laboratories

Bia Diagnostics
480 Hercules Drive Suite 101
Colchester, VT 05446

(802) 540-0148
https://www.biadiagnostics.com/
Lic# TLAB0029

Sweater Jacketz

Sample ID: BIA240904S0021
Strain: Sweater Jacketz

Matrix: Plant
Type: Flower - Cured
Sample Size: 8.02 g
Lot#:

Produced:
Collected:
Received: 09/06/2024
Completed: 09/12/2024
Batch#:

Client
Green Mountain Gardens
Lic. # SCLT0110
126 Ski Bowl Rd
Bellows Falls, VT 05101

Summary

Test	Date Tested	Result
Sample		Complete
Cannabinoids	09/10/2024	Complete
Moisture	09/09/2024	10.70% - Complete
Water Activity	09/09/2024	0.535 aw - Complete
Terpenes	09/10/2024	Complete
Microbials	09/12/2024	Complete

Cannabinoids

Completed

24.25% Total THC	0.05% Total CBD	28.89% Total Cannabinoids

Analyte	LOQ	Results	Results	Mass
	mg/g	%	mg/g	mg/serving
CBDVa	0.0005	<LOQ	<LOQ	
CBDV	0.0012	<LOQ	<LOQ	
CBDa	0.0008	0.06	0.6	
CBGa	0.0008	1.08	10.8	
CBG	0.0019	0.07	0.7	
CBD	0.0019	<LOQ	<LOQ	
THCV	0.0021	<LOQ	<LOQ	
CBN	0.0013	<LOQ	<LOQ	
Δ9-THC	0.0020	0.10	1.0	
Δ8-THC	0.0019	<LOQ	<LOQ	
Δ10-THC	0.0002	0.05	0.5	
CBC	0.0024	<LOQ	<LOQ	
THCa	0.0034	27.53	275.3	
Total THC		**24.25**	**242.51**	
Total CBD		**0.05**	**0.54**	
Total		**28.89**	**288.88**	**0.00**

Analyst: 056
Cannabinoids Methodology: High Performance Liquid Chromatography (HPLC) using PerkinElmer FLEXAR™ with Photo Diode Array Detector (PDA)
Total CBD and total THC are calculated values, to account for assumed decarboxylation from the acid form (THCA or CBDA) to the neutral form, causing weight loss of the acid group. These values are calculated as follows:
TotalTHC=(THCAx0.877)+Δ9-THC
Total CBD = (CBDA x 0.877) + CBD Reagent
Blanks: < LOQs for all analytes
LOQ = The lowest quantity that this method can reliably detect. Any cannabinoid that was not detected is assumed to be less than the stated LOQ (<LOQ).
All results reflect dry weight of material, based on % moisture of the sample.
Measurement of Uncertainty (MU): the parameter, associated with the result of a measurement, that characterizes the dispersion of the values that could reasonably be attributed to the particular quantity subject to measurement. Δ9-THC MU = ±0.005% Total THC MU = ±0.007%
All other cannabinoid MU values are available upon request.
All moisture analysis is determined by loss-on-drying measurement using OHAUS Model MB90 Moisture Content Readers.

Luke Emerson-Mason
Laboratory Director
09/12/2024

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

confident

This report shall not be reproduced except in full without approval of the laboratory. This is to provide assurance that parts of a report are not taken out of context.

Sweater Jacketz

Sample ID: BIA240904S0021
Strain: Sweater Jacketz

Matrix: Plant
Type: Flower - Cured
Sample Size: 8.02 g
Lot#:

Produced:
Collected:
Received: 09/06/2024
Completed: 09/12/2024
Batch#:

Client
Green Mountain Gardens
Lic. # SCLT0110
126 Ski Bowl Rd
Bellows Falls, VT 05101

Terpenes

Completed

Analyte	LOQ	Results	Results
	mg/g	mg/g	%
Limonene	0.010	7.784	0.778
β-Caryophyllene	0.010	5.230	0.523
Ocimene	0.010	5.039	0.504
α-Pinene	0.010	4.342	0.434
β-Pinene	0.010	3.700	0.370
Linalool	0.010	2.932	0.293
β-Myrcene	0.010	2.619	0.262
α-Humulene	0.010	1.356	0.136
Camphene	0.010	0.396	0.040
Terpinolene	0.010	0.323	0.032
α-Bisabolol	0.010	0.139	0.014
Geraniol	0.010	0.056	0.006
Caryophyllene Oxide	0.010	0.026	0.003
γ-Terpinene	0.010	0.021	0.002
3-Carene	0.010	0.018	0.002
α-Terpinene	0.010	0.018	0.002
cis-Nerolidol	0.010	<LOQ	<LOQ
Eucalyptol	0.010	<LOQ	<LOQ
Guaiol	0.010	<LOQ	<LOQ
Isopulegol	0.010	<LOQ	<LOQ
p-Cymene	0.010	<LOQ	<LOQ
trans-Nerolidol	0.010	<LOQ	<LOQ
Total		**34.000**	**3.400**

Primary Aromas



Analyst: 048
LOQ = The lowest quantity this method can reliably detect. Any terpene that was not detected is assumed to be less than the stated LOQ (<LOQ).
Terpene Methodology: Headspace Sampler, Gas Chromatography-Mass Spectrometry (GC-MS), using Perkin Elmer Clarus® SQ8 GC MS
Reagent Blanks: < LOQs for all analytes
All results reflect dry weight of material, based on % moisture of the sample.
All moisture analysis is determined by loss-on-drying measurement using OHAUS Model MB90 Moisture Content Readers.

Luke Emerson-Mason
Laboratory Director
09/12/2024

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

This report shall not be reproduced except in full without approval of the laboratory. This is to provide assurance that parts of a report are not taken out of context.

Sweater Jacketz

Sample ID: BIA240904S0021
Strain: Sweater Jacketz

Matrix: Plant
Type: Flower - Cured
Sample Size: 8.02 g
Lot#:

Produced:
Collected:
Received: 09/06/2024
Completed: 09/12/2024
Batch#:

Client
Green Mountain Gardens
Lic. # SCLT0110
126 Ski Bowl Rd
Bellows Falls, VT 05101

Pathogens

Completed

Pathogens	LOD	Results
	CFU/g	CFU/g
Aspergillus	5	Not Detected
Shiga Toxin E. Coli	5	Not Detected
Salmonella SPP	5	Not Detected

Analyst: 018
Test Methodology: Bio-Rad IQ-Check PCR Kits
cfu/g = colony forming units per gram
LOD = The lowest quantity that this method can reliably detect. Any microbial growth that was not detected is assumed to be less than the stated LOD (<LOD).
Reagent Blanks: <LOD for all analytes

Luke Emerson-Mason
Laboratory Director
09/12/2024

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

This report shall not be reproduced except in full without approval of the laboratory. This is to provide assurance that parts of a report are not taken out of context.